



**NOBELSPORT PRODUCT INFORMATION**

**EFFECTIVE JANUARY 1, 2016**

**TARGET SHOTSHELLS**

ITEM #	GA	SHELL LENGTH	FPS	DRAM EQUIV	OZ OF SHOT	SHOT SIZE	CASES/PALLET	BOX UPC CODE	INDIVIDUAL BOX MEASUREMENTS				CASE UPC CODE	CASE MEASUREMENTS			
									EA Length	EA Height	EA Width	EA WEIGHT		MP Length	MP Height	MP Width	MP Weight
<b>NS27 HANDICAP</b>																	
ANS2775	12	2 3/4	1265	HANDICAP	1 1/8	7 1/2	120	837913000359	4	4	2.25	2.5	837913002353	12	4.25	8.5	25
ANS278	12	2 3/4	1265	HANDICAP	1 1/8	8	120	837913000366	4	4	2.25	2.5	837913002360	12	4.25	8.5	25
<b>TRAP GOLD</b>																	
ANS1275	12	2 3/4	1200	3	1 1/8	7 1/2	120	837913000021	4	4	2.25	2.5	837913002025	12	4.25	8.5	25
ANS128	12	2 3/4	1200	3	1 1/8	8	120	837913000038	4	4	2.25	2.5	837913002032	12	4.25	8.5	25
ANSL1275	12	2 3/4	1145	2 3/4	1 1/8	7 1/2	120	837913000120	4	4	2.25	2.5	837913002124	12	4.25	8.5	25
ANSL128	12	2 3/4	1145	2 3/4	1 1/8	8	120	837913000137	4	4	2.25	2.5	837913002131	12	4.25	8.5	25
ANS2075	20	2 3/4	1210	2 1/2	7/8	7 1/2	120	837913000229	4	4	2.25	2.5	837913002223	12	4.25	8.5	25
ANS208	20	2 3/4	1210	2 1/2	7/8	8	120	837913000236	4	4	2.25	2.5	837913002230	12	4.25	8.5	25
<b>TRAP LR1 LOW RECOIL</b>																	
ANSLR788	12	2 3/4	1200	N/A	7/8	8	120	837913000342	4	4	2.125	2.8	837913002346	12	4.25	8.5	28
ANSLR175	12	2 3/4	1200	N/A	1	7 1/2	120	837913000335	4	4	2.125	2.15	837913002339	12	4.25	8.25	21.5
ANSLR18	12	2 3/4	1200	N/A	1	8	120	837913000304	4	4	2.125	2.2	837913002308	12	4.25	8.25	22
ANSLR185	12	2 3/4	1200	N/A	1	8 1/2	120	837913000311	4	4	2.125	2.2	837913002315	12	4.25	8.25	22
ANSLR19	12	2 3/4	1200	N/A	1	9	120	837913000328	4	4	2.125	2.2	837913002322	12	4.25	8.25	22
ANSLR208	20	2 3/4	1200	N/A	3/4	8	120	837913000373	4	4	2.125	1.7	837913002377	12	4.25	8.25	17
<b>SKEET GOLD</b>																	
ANS129	12	2 3/4	1200	3	1 1/8	9	120	837913000045	4	4	2.25	2.5	837913002049	12	4.25	8.25	25
ANSL129	12	2 3/4	1145	2 3/4	1 1/8	9	120	837913000144	4	4	2.25	2.5	837913002148	12	4.25	8.25	25
ANS209	20	2 3/4	1210	2 1/2	7/8	9	120	837913000243	3.5	3.5	2.125	1.95	837913002247	12	4	7.5	19.5
ANS289	28	2 3/4	1200	MAX	3/4	9	120	837913000250	2.5	2.5	2.25	1.7	837913002254	13.25	3.25	5.5	17
ANS4128	410	2 1/2	1240	MAX	1/2	8	120	837913001707	2.5	2.5	2.5	1.1	837913003701	13.25	3.25	5.5	11
ANS4129	410	2 1/2	1200	MAX	1/2	9	156	837913000267	2.5	2.5	2.5	1.1	837913002261	13.25	3.25	5.5	11



**NOBELSPORT PRODUCT INFORMATION**

**EFFECTIVE JANUARY 1, 2016**

**SPORTING CLAYS SHOTSHELLS**

ITEM #	GA	SHELL LENGTH	FPS	DRAM EQUIV	OZ OF SHOT	SHOT SIZE	CASES/PALLET	BOX UPC CODE	INDIVIDUAL BOX MEASUREMENTS				CASE UPC CODE	CASE MEASUREMENTS			
									EA Length	EA Height	EA Width	EA WEIGHT		MP Length	MP Height	MP Width	MP Weight

**NOBELSPEED SPORTING CLAYS**

ANS121FSC75	12	2 3/4	1300	2 3/4	1	7 1/2	120	837913000489	4	4	2.25	2.5	837913002483	12	4.25	8.5	25
ANS121FSC8	12	2 3/4	1300	2 3/4	1	8	120	837913000496	4	4	2.25	2.5	837913002490	12	4.25	8.5	25
ANS12FSC75	12	2 3/4	1300	3	1 1/8	7 1/2	120	837913000465	4	4	2.25	2.5	837913002469	12	4.25	8.5	25
ANS12FSC8	12	2 3/4	1300	3	1 1/8	8	120	837913000472	4	4	2.25	2.5	837913002476	12	4.25	8.5	25
ANS20SC8	20	2 3/4	1275	N/A	7/8	8	120	837913000441	3.5	3.5	2.375	1.95	837913002445	12.5	4	7.5	19.5

ITEM #	GA	SHELL LENGTH	FPS	DRAM EQUIV	GRAM	SHOT SIZE	CASES/PALLET	BOX UPC CODE	INDIVIDUAL BOX MEASUREMENTS				CASE UPC CODE	CASE MEASUREMENTS			
									EA Length	EA Height	EA Width	EA WEIGHT		MP Length	MP Height	MP Width	MP Weight

**INTERNATIONAL**

ANS122475	12	2 3/4	1319	N/A	24	7 1/2	120	837913000151	4	4	2.25	2	837913002155	12	4.25	8.5	20
ANS12248	12	2 3/4	1319	N/A	24	8	120	837913000168	4	4	2.25	2	837913002162	12	4.25	8.5	20
ANS12249	12	2 3/4	1319	N/A	24	9	120	837913000175	4	4	2.25	2	837913002179	12	4.25	8.5	20

ITEM #	GA	SHELL LENGTH	FPS	DRAM EQUIV	GRAM	SHOT SIZE	CASES/PALLET	BOX UPC CODE	INDIVIDUAL BOX MEASUREMENTS				CASE UPC CODE	CASE MEASUREMENTS			
									EA Length	EA Height	EA Width	EA WEIGHT		MP Length	MP Height	MP Width	MP Weight

**INTERNATIONAL--DIAMOND FINEST**

ANSDF2475	12	2 3/4	1335	N/A	24	7 1/2	120	837913000519	4	4	2.25	2	837913002513	12	4.25	8.5	20
ANSDF2485	12	2 3/4	1335	N/A	24	8 1/2	120	837913000526	4	4	2.25	2	837913002520	12	4.25	8.5	20
ANSDF2495	12	2 3/4	1335	N/A	24	9 1/2	120	837913000533	4	4	2.25	2	837913002537	12	4.25	8.5	20

ITEM #	GA	SHELL LENGTH	FPS	DRAM EQUIV	OZ OF SHOT	SHOT SIZE	CASES/PALLET	BOX UPC CODE	INDIVIDUAL BOX MEASUREMENTS				CASE UPC CODE	CASE MEASUREMENTS			
									EA Length	EA Height	EA Width	EA WEIGHT		MP Length	MP Height	MP Width	MP Weight

**STEEL LOADS**

ANS12ST6	12	2 3/4	1325	N/A	1	6	120	837913000663	4	4	2.25	2.2	837913002667	12	4.25	8.5	22.0
ANS12ST7	12	2 3/4	1325	N/A	1	7	120	837913000670	4	4	2.25	2.2	837913002674	12	4.25	8.5	22.0
ANS20ST7	20	2 3/4	1300	N/A	7/8	7	120	837913000687	3 1/2	3 1/2	2.25	2.2	837913002681	12.5	3.75	7.5	22

ITEM #	GA	SHELL LENGTH	FPS	DRAM EQUIV	OZ OF SHOT	SHOT SIZE	CASES/PALLET	BOX UPC CODE	INDIVIDUAL BOX MEASUREMENTS				CASE UPC CODE	CASE MEASUREMENTS			
									EA Length	EA Height	EA Width	EA WEIGHT		MP Length	MP Height	MP Width	MP Weight

**STEEL WATERFOWL LOADS**

ANS123STBB	12	3	1450	N/A	1 1/4	BB	120	837913000571	4	4	2.25	2	837913002575	12	4.25	8.5	20
------------	----	---	------	-----	-------	----	-----	--------------	---	---	------	---	--------------	----	------	-----	----



**NOBELSPORT PRODUCT INFORMATION**

**EFFECTIVE JANUARY 1, 2016**

**LEAD HUNTING SHOTSHELLS**

ITEM #	GA	SHELL LENGTH	FPS	DRAM EQUIV	OZ OF SHOT	SHOT SIZE	CASES/PALLET	BOX UPC CODE	INDIVIDUAL BOX MEASUREMENTS				CASE UPC CODE	CASE MEASUREMENTS				
									EA Length	EA Height	EA Width	EA WEIGHT		MP Length	MP Height	MP Width	MP Weight	
<b>HUNTING</b>																		
ANSF126	12	2 3/4	1255	3 1/4	1 1/8	6	120	837913001004	4	4	2.0625	2.5	837913003008	12	4.25	8.5	25	
ANSF1275	12	2 3/4	1255	3 1/4	1 1/8	7 1/2	120	837913001011	4	4	2.0625	2.5	837913003015	12	4.25	8.5	25	
ANSF128	12	2 3/4	1255	3 1/4	1 1/8	8	120	837913001028	4	4	2.0625	2.5	837913003022	12	4.25	8.5	25	
ANSFP126	12	2 3/4	1220	3 1/4	1 1/4	6	120	837913001035	4	4	2.0625	2.75	837913003039	12	4.25	8.5	25	
ANSFP1275	12	2 3/4	1220	3 1/4	1 1/4	7 1/2	120	837913001042	4	4	2.0625	2.75	837913003046	12	4.25	8.5	27.5	
ANSFP128	12	2 3/4	1220	3 1/4	1 1/4	8	120	837913001059	4	4	2.0625	2.75	837913003053	12	4.25	8.5	27.5	
ANSFH124	12	2 3/4	1220	3 3/4	1 1/4	4	120	837913001066	4	4	2.0625	2.75	837913003060	12	4.25	8.5	27.5	
ANSFH125	12	2 3/4	1330	3 3/4	1 1/4	5	120	837913001073	4	4	2.0625	2.75	837913003077	12	4.25	8.5	27.5	
ANSFH126	12	2 3/4	1330	3 3/4	1 1/4	6	120	837913001080	4	4	2.0625	2.75	837913003084	12	4.25	8.5	27.5	
ANSFH1275	12	2 3/4	1330	3 3/4	1 1/4	7 1/2	120	837913001097	4	4	2.0625	2.75	837913003091	12	4.25	8.5	27.5	
ANS166	16	2 3/4	1330	3 1/4	1 1/16	6	120	837913001318	3.75	3.75	2.375	2.35	837913003312	12.5	4	8	23.5	
ANS1675	16	2 3/4	1330	3 1/4	1 1/16	7 1/2	120	837913001325	3.75	3.75	2.375	2.35	837913003329	12.5	4	8	23.5	
ANS168	16	2 3/4	1330	3 1/4	1 1/16	8	120	837913001332	3.75	3.75	2.375	2.35	837913003336	12.5	4	8	23.5	
ANSH206	20	2 3/4	1165	2 1/2	1	6	120	837913001202	3.5	3.5	2.25	2.2	837913003206	12.5	3.75	7.5	22	
ANSH2075	20	2 3/4	1165	2 1/2	1	7 1/2	120	837913001219	3.5	3.5	2.25	2.2	837913003213	12.5	3.75	7.5	22	
ANSH208	20	2 3/4	1165	2 1/2	1	8	120	837913001226	3.5	3.5	2.25	2.2	837913003220	12.5	3.75	7.5	22	
ANSHB206	20	2 3/4	1220	2 3/4	1	6	120	837913001233	3.5	3.5	2.25	2.2	837913003237	12.5	3.75	7.5	22	
ANSHB2075	20	2 3/4	1220	2 3/4	1	7 1/2	120	837913001240	3.5	3.5	2.25	2.2	837913003244	12.5	4	7.5	22	
ANS2875	28	2 3/4	1200	MAX	3/4	7 1/2	120	837913001417	3.125	3.125	2.5	2.2	837913003411	17	4	5.5	22	
ANS288	28	2 3/4	1200	MAX	3/4	8	120	837913001424	3.125	3.125	2.5	2.2	837913003428	17	4	5.5	22	
ANSH284	28	2 3/4	1205	MAX	3/4	4	120	837913001431	3.125	3.125	2.5	2.1	837913003435	17	4	5.5	22	
ANSH286	28	2 3/4	1205	MAX	1	6	120	837913001455	3.25	3.25	2.375	2.1	837913003459	17	4	5.375	21	
ANSH2875	28	2 3/4	1205	MAX	1	7 1/2	120	837913001462	3.25	3.25	2.375	2.1	837913003466	17	4	5.375	21	
ANSH288	28	2 3/4	1205	MAX	1	8	120	837913001479	3.25	3.25	2.375	2.1	837913003473	17	4	5.375	21	
ANS4126	410	2 1/2	1240	MAX	1/2	6	156	837913001516	2.5	2.5	2.5	1.1	837913003510	13.5	4	5.375	11	
ANS41275	410	2 1/2	1240	MAX	1/2	7 1/2	156	837913001523	2.5	2.5	2.5	1.1	837913003527	13.5	4	5.375	11	
ANS4134	410	3	1145	MAX	11/16	4	156	837913001530	2.75	2.5	2.375	1.5	837913003534	13.25	3.25	5.5	15	
ANS4136	410	3	1145	MAX	11/16	6	156	837913001554	2.75	2.5	2.375	1.4	837913003558	13	3.25	5.5	14	
ANS41375	410	3	1145	MAX	11/16	7 1/2	156	837913001561	2.75	2.5	2.375	1.4	837913003565	13	3.25	5.5	14	
ANS4139	410	3	1145	MAX	11/16	9	156	837913001578	2.75	2.5	2.375	1.4	837913003572	13	3.25	5.5	14	



**NOBELSPORT PRODUCT INFORMATION**

**EFFECTIVE JANUARY 1, 2016**

**BUCKSHOT**

ITEM #	GA	SHELL LENGTH	FPS	DRAM EQUIV	OZ OF SHOT	# OF PELLETS	CASES/PALLET	BOX UPC CODE	INDIVIDUAL BOX MEASUREMENTS				CASE UPC CODE	CASE MEASUREMENTS			
									EA Length	EA Height	EA Width	EA WEIGHT		MP Length	MP Height	MP Width	MP Weight
<b>LAW ENFORCEMENT BUCKSHOT</b>																	
ANS1200BK10*	12	2 3/4	1290	MAX	00 BK	12	81	837913000885	4.125	1.75	2.5	1.28	837913002889	14	5	9	32
ANSLR1200BK	12	2 3/4	1200	3	00 BK	9	81	837913000861	4.125	1.75	2.5	1.1	837913002865	14	5	9	27.5
ANS124BK10*	12	2 3/4	1325	MAX	4 BK	27	81	837913000878	4.125	1.75	2.5	1.2	837913002872	14	5	9	30
ANS12MD10	12	2 3/4	1300	MAX	6X1BK	7	120	837913004128	4.125	1.75	2.5	1.25	837913005125	14	5	9	31.25
ANS12200BK10	12	2	1250	MAX	00 BK	6	120	837913000380	4.125	1.375	2.25	.75	837913002384	12.5	5	9	18.75
ANS413BK4**	410	3	820	N/A	.400	4	156	837913004197	2.25	2.25	3	1.65	837913005194	13.5	3.25	5.5	16.5

\* 10 SHELLS PER BOX

\*\* 25 SHELLS PER BOX